CUSTOMER NO.: 24498 PATENT Serial No.: 09/944,308 PU010158

Final Office Action dated: June 20, 2005

Response dated: August 26, 2005

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of the Claims

1. (Currently Amended) A modem, comprising:

first interface circuitry adapted to provide data transfer between a host device and a network; and

second interface circuitry adapted to provide data transfer between a memory device and at least one of said host device and said network, the second interface circuitry including an external connection portion for externally and detachably connecting the memory device to the modern for uploading and downloading data to at least one of the host and the network,

wherein the data is unrelated to functions performed by the modem.

- 2. (Original) The modem of claim 1, wherein said network comprises one of a digital cable network and a digital subscriber line (DSL) network.
- 3. (Original) The modem of claim 1, wherein said second interface circuitry is adapted to determine a type of memory device coupled thereto.
 - 4. (Original) The modem of claim 1, wherein:

in response to a default data transfer condition, data is transferred between said memory device and at least one of said host device and a computer communicating with said network.

5. (Original) The modem of claim 1, wherein said memory device is associated with an audio player and, in response to a default data transfer condition, audio data is transferred to said memory device from at least one of said host device and a computer communicating with said network.

CUSTOMER NO.: 24498

Serial No.: 09/944,308

Final Office Action dated: June 20, 2005

Response dated: August 26, 2005

6. (Original) The modem of claim 1, wherein said memory device is associated with

PATENT

PU010158

an imaging device and, in response to a default data transfer condition, image data is

transferred from said memory device to at least one of said host device and a computer

communicating with said network.

7. (Original) The modem of claim 1, wherein said second interface circuitry is adapted

to receive a smart card with integrated memory.

8. (Original) The modem of claim 1, wherein said second interface is adapted to

receive a compact FLASH memory card.

9. (Original) The modem of claim 1, wherein a data bus of a first type is used to

communicate data between said memory device and said modem, and a data bus ala second

type is used to communicate data between said host device and said modem.

10. (Original) The modem of claim 1, wherein said memory device has stored therein

a program, said second interface circuitry being adapted to responsively transfer said program

to said modem for execution.

11. (Original) The modem of claim 10, wherein said program stored in said memory

device is compressed, said modem decompressing said program prior to executing said

program.

12. (Original) The modem of claim 1, wherein:

said modem, operating as a universal serial bus (USB) hub, transfers data between

said memory device and said host device via a USB communications path.

- 3 -

CUSTOMER NO.: 24498

Serial No.: 09/944,308

Final Office Action dated: June 20, 2005

Response dated: August 26, 2005

13. (Original) The modem of claim 1, wherein:

said modem, enables said memory device to be accessed by said host device via at

PATENT

PU010158

least one of an Ethernet communications ink and a universal serial bus (USB)

communications link.

14. (Currently Amended) Apparatus comprising:

a modem for transferring data between a host computing device and a network, said

modem having associated with it a first data bus operatively coupled to a flash memory

having stored therein at least an initial operating program; and

an interface circuit, operatively coupled to said first data bus and a physical interface

device, said physical interface device adapted to receive a memory device and including an

external connection portion for externally and detachably connecting the memory device to

the modem for uploading and downloading data to at least one of the host and the network,

said interface circuit adapted to provide data transfer between said memory device and said

modem using said first data bus, said modem adapted to transfer data between said memory

device and at least one of said host device and said network, wherein the data is unrelated to

functions performed by the modem.

15. (Original) The apparatus of claim 14, wherein said network comprises one of a

digital cable network and a digital subscriber line (DSL) network.

16. (Original) The apparatus of claim 14, wherein said second interface circuitry is

adapted to determine the type of memory device coupled thereto.

17. (Original) The apparatus of claim 14, wherein:

in response to a default data transfer condition, data is transferred between said

memory device and at least one of said host device and a computer communicating with said

network.

- 4 -

CUSTOMER NO.: 24498 PATENT Serial No.: 09/944,308 PU010158

Final Office Action dated: June 20, 2005

Response dated: August 26, 2005

18. (Original) The apparatus of claim 14, wherein said second interface circuitry is adapted to determine a type of memory device coupled thereto.

19. (Original) The apparatus of claim 14, wherein said memory device has stored therein a program, said second interface circuitry being adapted to responsively transfer said program to said modem for execution.

20. (Currently Amended) A method, comprising:

detecting the insertion of a memory device into an interface operatively coupled to a modem, said modem including first interface circuitry adapted to provide data transfer between a host device and a network, said modem including second interface circuitry including an external connection portion for externally and detachably connecting the memory device to the modem for uploading and downloading data to at least one of the host and the network; and

in response to a default data transfer condition, transferring data between said detected memory device and at least one of said host device and said network, wherein the data is unrelated to functions performed by the modem.

- 21. (Original) The method of claim 20 wherein said data transfer comprises the transfer of audio data to said detected memory device from at least one of said host device and a computer communicating with said network.
- 22. (Original) The method of claim 20, wherein said data transfer comprises the transfer of image data from said detected memory device to at least one of said host device and a computer communicating with said network.
 - 23. (Original) The method of claim 20, further comprising: determining the type of memory device inserted into said interface device.